

## Some applications of quasigroups in cryptology

N.A. Moldovyan      A.V. Shcherbacov      V.A. Shcherbacov

### Abstract

In the paper we present based on quasigroups new deniable encryption method, generalisation of Markovski stream cipher, and generalisation of El-Gamal enciphering system.

**Keywords:** cryptology, quasigroup, algorithm, stream, deniable, encryption, El-Gamal scheme.

**MSC 2000:** 94A60, 20N05, 11S05

## 1 Deniable-encryption mode for block ciphers

This paper is the extended version of the paper [1].

Deniable encryption (DE) is a method for generating ciphertexts that can be alternatively decrypted providing security against so called coercive attacks [2] for which it is assumed that after ciphertext has been sent the adversary has possibility to force both the sender and the receiver to open the plaintext corresponding to the ciphertext and the encryption key. In the case of block ciphering the DE can be provided with simultaneous encryption of the secret and fake messages using the secret and fake keys, correspondingly. While being coerced the sender and receiver of the ciphertext open the fake key and fake message and declare they have used the probabilistic encryption [3]. Earlier in paper [4] it had been proposed a method for simultaneous encryption of two messages based on solving a system of two linear equations. In this section we propose design of the DE mode for using block ciphers, which is based on the mentioned method.

**Definition 1.** *Binary groupoid  $(G, \circ)$  is an isotopic image of a binary groupoid  $(G, \cdot)$ , if there exist permutations  $\alpha, \beta, \gamma$  of the set  $G$  such that  $x \circ y = \gamma^{-1}(\alpha x \cdot \beta y)$  [5].*

Suppose  $E_V$  be a block encryption algorithm with  $n$ -bit input data block and the value used as encryption key. All existing  $n$ -bit data blocks can be considered as elements of some quasigroup with the operation  $*$  defined as follows:

$$K * i = E_V(K \oplus E_V(i)),$$

where  $\oplus$  is the XOR operation;  $K$  and  $i$  are  $n$ -bit vectors. This quasigroup is an isotope of the group  $(G, \oplus)$ , where  $G$  is the set of all  $n$ -bit vectors. Here  $E_V$  is a permutation of the symmetric group  $S_G$ .

Evidently, for all possible values  $i$  and  $Q \neq K$  we have

$$E_V(Q \oplus E_V(i)) \neq E_V(K \oplus E_V(i)). \quad (1)$$

Using this property of the quasigroup and two different keys  $K$  and  $Q \neq K$  one can define simultaneous encryption of two different messages  $T = (t_1, t_2, \dots, t_i, \dots, t_z)$  and  $M = (m_1, m_2, \dots, m_i, \dots, m_z)$ , where  $z < 2^n$ ;  $t_i$  and  $m_i$  are  $n$ -bit data blocks, as generation of the single ciphertext  $C = (c_1, c_2, \dots, c_i, \dots, c_z)$  containing  $(2n)$ -bit ciphertext blocks  $c_i = (c'_i, c''_i)$ , where  $c'_i$  and  $c''_i$  are  $n$ -bit values, computed from the following system of equations in the field  $GF(2^n)$ :

$$\begin{cases} c'_i + A_i c''_i \equiv B_i + m_i \pmod{\eta(x)} \\ c'_i + G_i c''_i \equiv H_i + t_i \pmod{\eta(x)}, \end{cases} \quad (2)$$

where  $\eta(x)$  is some specified irreducible binary polynomial of the degree  $n$ ; the  $n$ -bit values  $A_i$ ,  $B_i$ ,  $G_i$ , and  $H_i$  are computed using the random  $n$ -bit initialization vector  $V$  (this value is not secret) as follows:

$$\begin{aligned} A_i &= E_V(K \oplus E_V(i)); G_i = E_V(Q \oplus E_V(i)); \\ B_i &= E_K(A_i); H_i = E_Q(G_i). \end{aligned} \quad (3)$$

While solving (2) the values  $A_i$ ,  $B_i$ ,  $G_i$ , and  $H_i$  are considered as binary polynomials of the degree  $s < n$ . Due to condition (1) it holds the inequality  $A_i \neq G_i$ , therefore the system (2) always has the single solution, i.e. the proposed deniable-encryption procedure is defined correctly.

Let us agree that the secret message (key) is the value  $T$  ( $Q$ ) and the fake message (key) is the value  $M$  ( $K$ ). If the coercer forces the sender and receiver of the secret message  $T$  to open the ciphertext  $C$  and the encryption key, then they open the fake key  $K$  and the fake message  $M$  and declare using the probabilistic block-encryption mode implemented with the block cipher  $E$ . In terms of paper [3] the declared encryption algorithm is called the associated encryption algorithm.

In the case of the proposed deniable-encryption method the last algorithm is described as consecutive probabilistic encryption of the data blocks  $m_i$  for each value  $i = 1, 2, \dots, z$  performing the following steps:

1. Generate a random initialization vector  $V$  and compute the values  $A_i = E_V(K \oplus E_V(i))$  and  $B_i = E_K(A_i)$ .
2. Generate a random binary polynomial  $\rho_i(x) \neq A_i$  of the degree  $s < n$ .
3. Compute the unknowns  $c'_i$  and  $c''_i$  from the following system of equations in  $GF(2^n)$ :

$$\begin{cases} c'_i + A_i c''_i \equiv B_i + m_i \pmod{\eta(x)} \\ c'_i + \rho_i c''_i \equiv 1 \pmod{\eta(x)}, \end{cases} \quad (4)$$

Evidently, for some sequence of the values  $\rho_1(x), \rho_2(x), \dots, \rho_z(x)$  the message  $M$  is transformed with the key  $K$  into the given ciphertext  $C$ .

To distinguish the use of the deniable encryption with the system (2) from the probabilistic encryption with the system (4) the potential coercive attacker should compute the key  $Q$ . The last problem is computationally difficult, if  $E$  is a secure block cipher, for example, AES [6] with 128-bit key and  $n = 128$ . Restoring the secret message from the ciphertext is performed as decryption of each ciphertext block  $c_i = (c'_i, c''_i)$ ,  $i = 1, 2, \dots, z$ , as follows:

1. Using the secret key  $Q$  compute the values  $G_i = E_V(Q \oplus E_V(i))$  and  $H_i = E_Q(G_i)$ .

2. Compute the plaintext data block  $t_i = c'_i + G_i c''_i - H_i \pmod{\eta(x)}$ .

The fake decryption of the ciphertext is performed as follows ( $i = 1, 2, \dots, z$ ):

1. Using the fake key  $K$  compute the values  $A_i = E_V(K \oplus E_V(i))$  and  $B_i = E_K(A_i)$ .
2. Compute the plaintext data block  $m_i = c'_i + A_i c''_i - B_i \bmod \eta(x)$ .

## 2 Stream deniable-encryption scheme

The method described in Section 1 can be used for constructing stream deniable encryption algorithms. Formally, for small values  $n$  (for example  $n = 8$ ) that method represents consecutive deniable encryption of the pairs of symbols of two different input texts. The sequence of the pairs  $(A_i, B_i)$  represents the key stream used for encrypting the message  $M$ . Respectively, the sequence of the pairs  $(G_i, H_i)$  represents the key stream used for encrypting the message  $T$ . However one should take into account that for small values  $n$  these key streams contain too short periods, therefore such encryption method is not secure. To overcome this problem one can propose the following modification of the formulas for computing the values  $A_i$ ,  $B_i$ ,  $G_i$ , and  $H_i$ :

$$\begin{aligned} A_i &= E_{V\|i}(k_j), G_i = E_{V\|i}(q_j), \\ B_i &= E_K(A_i), H_i = E_Q(G_i), \end{aligned} \tag{5}$$

where  $\|$  denotes concatenation operation;  $V$  is 64-bit initialization vector;  $i$  is 64-bit counter;  $k_j$  are 8-bit subkeys of the key  $K = (k_0, k_1, \dots, k_7)$ ;  $q_j$  are 8-bit subkeys of the key  $Q = (q_0, q_1, \dots, q_7)$ ,  $j = (i - 1) \bmod 8$ . In the last formulas the block encryption function  $E$  operates with 8-bit data block and 128-bit key.

While generating the keys  $K$  and  $Q$  it is to be fulfilled the condition  $k_j \neq q_j$  for  $j = 0, 1, \dots, 7$ .

It should be mentioned that the value  $V\|i$  is used as variable key for computing the values  $A_i$  and  $B_i$ , i.e. the key is to be reset for each transformed pair of the 8-bit symbols of the texts  $M$  and  $T$ . This feature makes preferable to use block ciphers  $E$  with simple key scheduling in order to get higher performance of the stream deniable encryption [7]. In the case of hardware implementation of the function

$E$  one can use, for example, the design based on controlled substitution-permutation networks [8].

### 3 Stream cipher based on binary quasigroups

Here we give more detailed description of algorithm which was proposed in [9]. This algorithm simultaneously uses two cryptographical procedures: enciphering using generalisation of Markovski stream algorithm [10] and enciphering using a system of orthogonal operations.

We also give some realisation of this algorithm based on T-quasigroups, more precise, on medial quasigroups. Necessary information about quasigroups and some its applications in cryptography can be found in [5], [9], [11].

Below we denote the action of the left (right, middle) translation in the power  $a$  of a binary quasigroup  $(Q, g_1)$  on the element  $u_1$  by the symbol  $g_1 T_{l_1}^a(u_1)$ . And so on. Here  $l_1$  means leader element. See [9]–[11] for details.

**Algorithm 1.** *Enciphering.* Initially we have plaintext  $u_1, u_2, \dots, u_6$ .

*Step 1.*

$$\begin{aligned} g_1 T_{l_1}^a(u_1) &= v_1 \\ g_2 T_{l_2}^b(u_2) &= v_2 \\ F_1^c(v_1, v_2) &= (v'_1, v'_2) \end{aligned}$$

*Step 2.*

$$\begin{aligned} g_3 T_{v'_1}^d(u_3) &= v_3 \\ g_4 T_{v'_2}^e(u_4) &= v_4 \\ F_2^f(v_3, v_4) &= (v'_3, v'_4) \end{aligned} \tag{6}$$

*Step 3.*

$$\begin{aligned} g_5 T_{v'_3}^g(u_5) &= v_5 \\ g_6 T_{v'_4}^h(u_6) &= v_6 \\ F_3^i(v_5, v_6) &= (v'_5, v'_6). \end{aligned}$$

We obtain ciphertext  $v'_1, v'_2, \dots, v'_6$ .

Deciphering. Initially we have ciphertext  $v'_1, v'_2, \dots, v'_6$ .

Step 1.

$$F_1^{-c}(v'_1, v'_2) = (v_1, v_2)$$

$$g_1 T_{v_1}^{-a}(v_1) = u_1$$

$$g_2 T_{v_2}^{-b}(v_2) = u_2$$

Step 2.

$$F_2^{-f}(v'_3, v'_4) = (v_3, v_4)$$

$$g_3 T_{v'_1}^{-d}(v_3) = u_3$$

$$g_4 T_{v'_2}^{-e}(v_4) = u_4$$

(7)

Step 3.

$$F_3^{-i}(v'_5, v'_6) = (v_5, v_6)$$

$$g_5 T_{v'_3}^{-g}(v_5) = u_5$$

$$g_6 T_{v'_4}^{-h}(v_6) = u_6$$

We obtain plaintext  $u_1, u_2, \dots, u_6$ .

From Algorithm 1 we obtain classical Markovski algorithm, if we take only one quasigroup, one kind of quasigroup translations (left translations) any of which is taken in power = 1, and, finally, if system of orthogonal operations (crypto-procedure  $F$ ) is not used. Some generalisations of Algorithm 1 are given in [12].

## 4 T-quasigroup based stream cipher

We give a numerical example of encryption Algorithm 1 based on  $T$ -quasigroups (more exactly, on medial quasigroups) [12]. Notice that the number 257 is prime. The form of parastrophes of  $T$ -quasigroups, for example, of quasigroup  $(A, \overset{(13)}{*})$  can be found in [12], [13, p. 39].

**Example 1.** Take the cyclic group  $(Z_{257}, +) = (A, +)$ .

1. Define  $T$ -quasigroup  $(A, *)$  by the form  $x * y = 2 \cdot x + 131 \cdot y + 3$  with a leader element  $l$ , say,  $l = 17$ . Denote the mapping  $x \mapsto x * l$  by the letter  $g_1$ , i.e.  $g_1(x) = x * l$  for all  $x \in A$ .

In order to find the mapping  $g_1^{-1}$  we find the form of operation  $\overset{(13)}{*}$ . We have  $x \overset{(13)}{*} y = 129 \cdot x + 63 \cdot y + 127$ ,  $f^{-1}x = x \overset{(13)}{*} l$ . Then  $g_1^{-1}(g_1(x)) = g_1^{-1}(x * l) = (x * l) \overset{(13)}{*} l = x$ .

In some sense quasigroup  $(A, \overset{(13)}{*})$  is the "right inverse quasigroup" to quasigroup  $(A, *)$ . Notice that from results of article [13, Theorem 16] it follows that  $(A, *) \perp (A, \overset{(13)}{*})$ .

2. Define  $T$ -quasigroup  $(A, \circ)$  by the form  $x \circ y = 10 \cdot x + 81 \cdot y + 53$  with a leader element  $l$ , say,  $l = 71$ . Denote the mapping  $x \mapsto l * x$  by the letter  $g_2$ , i.e.  $g_2(x) = l \circ x$  for all  $x \in A$ .

In order to find the mapping  $g_2^{-1}$  we find the form of operation  $\overset{(23)}{\circ}$ . We have  $x \overset{(23)}{\circ} y = 149 \cdot x + 165 \cdot y + 250$ .

3. Define a system of two parastroph orthogonal  $T$ -quasigroups  $(A, \cdot)$  and  $(A, \overset{(23)}{\cdot})$  in the following way

$$\begin{cases} x \cdot y = 3 \cdot x + 5 \cdot y + 6 \\ x \overset{(23)}{\cdot} y = 205 \cdot x + 103 \cdot y + 153. \end{cases}$$

Denote quasigroup system  $(A, \cdot, \overset{(23)}{\cdot})$  by  $F(x, y)$ , since this system is a function of two variables.

In order to find the mapping  $F^{-1}(x, y)$  we solve the system of linear equations

$$\begin{cases} 3 \cdot x + 5 \cdot y + 6 = a \\ 205 \cdot x + 103 \cdot y + 153 = b. \end{cases}$$

We have  $\Delta = 55$ ,  $1/\Delta = 243$ ,  $x = 100 \cdot a + 70 \cdot b + 255$ ,  $y = 43 \cdot a + 215 \cdot b$ . Therefore we have, if  $F(x, y) = (a, b)$ , then  $F^{-1}(a, b) =$

$(100 \cdot a + 70 \cdot b + 255, 43 \cdot a + 215 \cdot b)$ , i.e.

$$\begin{cases} x = 100 \cdot a + 70 \cdot b + 255 \\ y = 43 \cdot a + 215 \cdot b. \end{cases}$$

We have defined the mappings  $g_1, g_2, F$  and now we can use them in Algorithm 1.

Let 212; 17; 65; 117 be a plaintext. We take the following values in formula (6):  $a = b = d = e = f = 1; c = 2$ . Below we use Gothic font to distinguish leader elements, i.e., the numbers 17 and 71 are leader elements. Then

Step 1.

$$g_1(212) = 212 * 17 = 2 \cdot 212 + 131 \cdot 17 + 3 = 84$$

$$g_2(17) = 71 \circ 17 = 10 \cdot 71 + 81 \cdot 17 + 53 = 84$$

$$F(84; 84) = (3 \cdot 84 + 5 \cdot 84 + 6; 205 \cdot 84 + 103 \cdot 84 + 153) = (164; 68)$$

$$F(164; 68) = (3 \cdot 164 + 5 \cdot 68 + 6; 205 \cdot 164 + 103 \cdot 68 + 153) = (\mathbf{67}; \mathbf{171})$$

Step 2.

$$g_1(65) = 65 * 67 = 2 \cdot 65 + 131 \cdot 67 + 3 = 172$$

$$g_2(117) = 171 \circ 117 = 10 \cdot 171 + 81 \cdot 117 + 53 = 189$$

$$F(172; 189) = (3 \cdot 172 + 5 \cdot 189 + 6; 205 \cdot 172 + 103 \cdot 189 + 153) = (\mathbf{182}; \mathbf{139})$$

We obtain the following ciphertext 67; 171; 182; 139.

For deciphering we use formula (7).

Step 1.

$$F^{-1}(67; 171) = (100 \cdot 67 + 70 \cdot 171 + 255, 43 \cdot 67 + 215 \cdot 171) = (164; 68)$$

$$F^{-1}(164; 68) = (100 \cdot 164 + 70 \cdot 68 + 255, 43 \cdot 164 + 215 \cdot 68) = (84; 84)$$

$$g_1^{-1}(84) = 84 \overset{(13)}{*} 17 = 129 \cdot 84 + 63 \cdot 17 + 127 = \mathbf{212}$$

$$g_2^{-1}(84) = 71 \overset{(23)}{\circ} 84 = 149 \cdot 71 + 165 \cdot 84 + 250 = \mathbf{17}$$

Step 2.

$$F^{-1}(182; 139) = (100 \cdot 182 + 70 \cdot 139 + 255, 43 \cdot 182 + 215 \cdot 139) = (172; 189)$$

$$g_1^{-1}(172) = 172 \overset{(13)}{*} 67 = 129 \cdot 172 + 63 \cdot 67 + 127 = \mathbf{65}$$



$$g_2^{-1}(189) = 171 \overset{(23)}{\circ} 189 = 149 \cdot 171 + 165 \cdot 189 + 250 = \mathbf{117}$$

A program using freeware version of programming language Pascal was developed. First experiments demonstrate that encoding-decoding is executed sufficiently fast.

We plan to continue researches in this direction, namely we plan to estimate time complexity of encryption and decryption for the proposed algorithms, as well as give formal justification for computational security of ones. The authors thank Referee for this suggestion.

**Remark 1.** *Proper binary groupoids are more preferable than linear quasigroups by construction of the mapping  $F(x, y)$  in order to make encryption more safe, but in this case decryption may be slower than in linear quasigroup case and definition of these groupoids needs more computer (or some other device) memory. The same remark is true for the choice of the function  $g$ . Maybe a golden mean in this choice problem is to use linear quasigroups over non-abelian, especially simple, groups.*

**Remark 2.** *In this cipher there exists a possibility of protection against standard statistical attack. For this scope it is possible to denote more often used letters or pair of letters by more than one integer or by more than one pair of integers.*

## 5 El Gamal cryptosystem

We recall El Gamal cryptosystem [14]. Let  $(Z_p, +)$  be a cyclic group of residues of big (say 200 to 300 digits) prime order relative to addition of residues,  $a$  be a generator of the group  $(Z_{p-1}, \cdot) \cong \text{Aut}(Z_p, +)$  ( $\text{gcd}(a, p-1) = 1$ ).

Alices keys are as follows:

Public Key  $p$ ,  $a$ , and  $a^m$ ,  $m \in \mathbb{N}$ .

Private Key  $m$ .

Encryption

To send a message  $b \in (Z_{p-1}, \cdot)$  Bob computes  $a^r$  and  $a^{mr}$  for a random  $r \in \mathbb{N}$  (sometimes the number  $r$  is called an ephemeral key).

The ciphertext is  $(a^r, a^{mr} \cdot b)$ .

Decryption

Alice knows  $m$ , so if she receives the ciphertext  $(a^r, a^{mr} \cdot b)$ , she computes  $a^{-rm}$  from  $a^r$  and then she computes  $b$  from  $a^{mr} \cdot b$  using the formula  $a^{-rm} \cdot a^{mr} \cdot b = b$ .

## 6 De-symmetrisation of Markovski algorithm

We give an analogue of El Gamal encryption system based on Markovski algorithm [1], [15].

Let  $(Q, f)$  be a binary quasigroup and  $T = (\alpha, \beta, \gamma)$  be its isotopy.

Alices keys are as follows:

Public Key is  $(Q, f)$ ,  $T$ ,  $T^{(m,n,k)} = (\alpha^m, \beta^n, \gamma^k)$ ,  $m, n, k \in \mathbb{N}$ , and Markovski algorithm.

Private Key  $m, n, k$ .

Encryption

To send a message  $b \in (Q, f)$  Bob computes  $T^{(r,s,t)}$ ,  $T^{(mr,ns,kt)}$  for a random  $r, s, t \in \mathbb{N}$  and  $(T^{(mr,ns,kt)}(Q, f))$ .

The ciphertext is  $(T^{(r,s,t)}, (T^{(mr,ns,kt)}(Q, f))b)$ .

To obtain  $(T^{(mr,ns,kt)}(Q, f))b$  Bob uses Markovski algorithm which is known to Alice.

Decryption

Alice knows  $m, n, k$ , so if she receives the ciphertext

$$(T^{(r,s,t)}, (T^{(mr,ns,kt)}(Q, f))b),$$

she computes  $(T^{(mr,ns,kt)}(Q, f))^{-1}$  using  $T^{(r,s,t)}$  and, finally, she computes  $b$ .

In this algorithm there can also be used isostrophy [16] instead of isotopy, Algorithm 1 instead of Markovski algorithm,  $n$ -ary ( $n > 2$ ) quasigroups [9], [17] instead of binary quasigroups.

Generalisation of El Gamal scheme using a Moufang loop is given in [18]. In [19] it is proved that discrete logarithms problem in Moufang loops can be reduced to the same problem in finite simple fields.

Generalisation of El Gamal encryption system based on a quasiamorphism of a quasigroup is presented in [18]. In this generalisation a generator element of the group  $Z_n$  is a quasiamorphism (the third component of an autotopy) of a quasigroup.

## 7 Conclusion

In this paper we have presented stream deniable encryption algorithm, generalisation of quasigroup based Markovski algorithm, and based on Markovski algorithm and concept of isotopy generalisation of El Gamal encryption system.

**Acknowledgment.** The authors thank Referee for valuable suggestions.

## References

- [1] N. Moldovyan, A. Shcherbacov, and V. Shcherbacov, “On some applications of quasigroups in cryptology,” in *Workshop on Foundations of Informatics, August 24-29, 2015, Chisinau, Proceedings*, Chisinau, 2015, pp. 331–341.
- [2] R. Canetti, C. Dwork, M. Naor, and R. Ostrovsky, “Deniable Encryption,” *Proceedings Advances in Cryptology CRYPTO 1997* (Lecture Notes in Computer Science, vol. 1294), pp. 90–104, 1997.
- [3] A. Moldovyan and N. Moldovyan, “Practical method for bi-deniable public-key encryption,” *Quasigroups and related systems*, vol. 22, pp. 277–282, 2014.
- [4] A. Moldovyan, N. Moldovyan, and V. A. Shcherbacov, “Bi-deniable public-key encryption protocol secure against active coercive adversary,” *Buletinul Academiei de Stiinte a Republicii Moldova. Matematica*, no. 3, pp. 23–29, 2014.
- [5] V. Belousov, *Foundations of the Theory of Quasigroups and Loops*. Moscow: Nauka, 1967, (in Russian).

- [6] J. Pieprzyk, T. Hardjono, and J. Seberry, *Fundamentals of Computer Security*. Berlin: Springer-Verlag, 2003.
- [7] N. Moldovyan, “On cipher design based on switchable controlled operations,” *International Journal of Network Security*, vol. 7, no. 3, pp. 404–415, 2008.
- [8] N. Moldovyan and A. Moldovyan, *CData-driven block ciphers for fast telecommunication systems*. New York: Talor&Francis Group, 2008.
- [9] V. Shcherbacov, “Quasigroups in cryptology,” *Comput. Sci. J. Moldova*, vol. 17, no. 2, pp. 193–228, 2009.
- [10] V. Shcherbacov and N. Moldovyan, “About one cryptoalgorithm,” in *Proceedings of the Third Conference of Mathematical Society of the Republic of Moldova dedicated to the 50th anniversary of the foundation of the Institute of Mathematics and Computer Science, August 19-23, 2014, Chisinau*. Chisinau: Institute of Mathematics and Computer Science, 2014, pp. 158–161.
- [11] V. Shcherbacov, “Elements of quasigroup theory and some its applications in code theory,” 2003. [Online]. Available: [www.karlin.mff.cuni.cz/drapal/speccurs.pdf](http://www.karlin.mff.cuni.cz/drapal/speccurs.pdf).
- [12] V. Shcherbacov, “Quasigroup based crypto-algorithms,” pp. 1–23, 2012, arXiv:1201.3016.
- [13] G. Mullen and V. Shcherbacov, “On orthogonality of binary operations and squares,” *Bul. Acad. Stiinte Repub. Mold., Mat.*, no. 2, pp. 3–42, 2005.
- [14] T. ElGamal, “A public key cryptosystem and a signature scheme based on discrete logarithms,” *IEEE Trans inf Theo*, vol. 31, no. 4, pp. 469–472, 1985.
- [15] V. Shcherbacov, “On generalisation of Markovski cryptoalgorithm”, AAA89: Workshop on General Algebra, February 26-

March 1, 2015, Technische Universität Dresden, Technical Report, 2015, Technische Universität Dresden, Dresden, pp. 36–37.

- [16] V. Shcherbacov, “On the structure of left and right F-, SM- and E-quasigroups,” *J. Gen. Lie Theory Appl.*, vol. 3, no. 3, pp. 197–259, 2009.
- [17] V. Belousov, *n-Ary Quasigroups*. Kishinev: Stiintsa, 1971, (in Russian).
- [18] A. V. Gribov, “Algebraic non-associative structures and its applications in cryptology,” Ph.D. dissertation, Moscow: Moscow State University, 2015, (in Russian).
- [19] G. Maze, “Algebraic methods for constructing one-way trapdoor functions,” Ph.D. dissertation, University of Notre Dame, 2003.

N. A. Moldovyan<sup>1</sup>, A. V. Shcherbacov<sup>2</sup>,  
V. A. Shcherbacov<sup>3</sup>,

Received October 30, 2015

<sup>1</sup> Professor, St. Petersburg Institute for Informatics and Automation of  
Russian Academy of Sciences  
14 Liniya, 39, St.Petersburg, 199178  
Russia  
E-mail: [mdn.spectr@mail.ru](mailto:mdn.spectr@mail.ru)

<sup>2</sup> M.Sc., Theoretical Lyceum ”C. Sibirschi”  
Lech Kaczyski str. 4, MD-2028, Chişinău  
Moldova  
E-mail: [admin@sibirsky.org](mailto:admin@sibirsky.org)

<sup>3</sup> Dr., Institute of Mathematics and Computer Science  
Academy of Sciences of Moldova Academiei str. 5, MD–2028 Chişinău  
Moldova  
Email: [scerb@math.md](mailto:scerb@math.md)